



Laser distance meters

HDM-120BC



Digital camera

measuring point easier to find



Reliable measurements

fast and precise processor



Easy to use

large, backlit display



Resistant to damage

safe use for years



Data transmission

bluetooth, USB



Measurement solutions
for construction

NIVEL
SYSTEM

Laser distance meters

HDM-120BC

Working range	120 m
Measuring accuracy	±2 mm
Laser type	red, class II, <1 mW
The wavelength of the laser	635 nm
MAX & MIN Value	✓
Area, volume	✓
„Painter“ function	✓
Pythagoras measuring	✓
Sum, subtracking	✓
Value min. and max	✓
Skating-out	✓
Delay measurement	✓
Self-calibration	✓
Angle of tilt	± 90°
Level bubble	electronic
Backlight	✓
Record	100
Data transmission	bluetooth, USB
Auto switch off	✓
Working range	0-+40°C
Storage temperature	-20-+60°C
Resistance class	IP54
Foot (measurement in the corner)	✓
Power supply	Ni-MH 3x1,2V 800 mAh
Dimensions	130x56x29 mm
Weight	135 g

Large measurement capabilities

With the ability to record up to 100 values - range-finders software can measure distances and perform calculations on their basis (such as addition, subtraction, area and volume)

Additional features

„Painter“ function, skating-out, continuous measurement / min. - max. function, delay measurement, self-calibration - measurement's support in construction

Work from the edge

Measurements can be performed from the rangefinder front, base or foot (measurements in the corner)

Intuitive, small and handy

The measurement is done at the touch of a button, shortcut keys speed up access to frequently used functions. Fit in any pocket, handy housing provides a sure grip.

Measure the unavailable spaces

Pythagoras function allows you to pursue an indirect measure of the height or width.

Equipment

Laser distance meter	Belt
Disc	USB cable
Batteries set	Manual
Case	Carton box



Your local distributor